

## **Cervical Spine References**

Apelby-Albrecht M, Andersson L, Kleiva IW, Kvåle K, Skillgate E, Josephson A. Concordance of upper limb neurodynamic tests with medical examination and magnetic resonance imaging in patients with cervical radiculopathy: a diagnostic cohort study. *J Manipulative Physiol Ther.* 2013 Nov-Dec;36(9):626-32.

PubMed PMID: 24161389.

Bandiera G, Stiell IG, Wells GA, Clement C, De Maio V, Vandemheen KL, Greenberg GH, Lesiuk H, Brison R, Cass D, Dreyer J, Eisenhauer MA, Macphail I, McKnight RD, Morrison L, Reardon M, Schull M, Worthington J, Canadian C-Spine and CT Head Study Group. The Canadian C-spine rule performs better than unstructured physician judgment. *Ann Emerg Med.* 2003 Sep;42(3):395-402. PubMed PMID: 12944893.

Beer A, Treleaven J, Jull G. Can a functional postural exercise improve performance in the cranio-cervical flexion test?--a preliminary study. *Man Ther.* 2012 Jun;17(3):219-24. PubMed PMID: 22310655.

Bertozzi L, Gardenghi I, Turoni F, Villafañe JH, Capra F, Guccione AA, Pillastrini P. Effect of therapeutic exercise on pain and disability in the management of chronic nonspecific neck pain: systematic review and meta-analysis of randomized trials. *Phys Ther.* 2013 Aug;93(8):1026-36. PubMed PMID: 23559524.

Boyles R, Toy P, Mellon J Jr, Hayes M, Hammer B. Effectiveness of manual physical therapy in the treatment of cervical radiculopathy: a systematic review. *J Man Manip Ther.* 2011 Aug;19(3):135-42.

PubMed PMID: 22851876; PubMed Central PMCID: PMC3143012.

Boyles RE, Ritland BM, Miracle BM, Barclay DM, Faul MS, Moore JH, Koppenhaver SL, Wainner RS. The short-term effects of thoracic spine thrust manipulation on patients with shoulder impingement syndrome. *Man Ther.* 2009 Aug;14(4):375-80. PubMed PMID: 18703377.

Brochwicz P, von Piekartz H, Zalpour C. Sonography assessment of the median nerve during cervical lateral glide and lateral flexion Is there a difference in neurodynamics of asymptomatic people?. *Man Ther.* 2013 Jun;18(3):216-9. PubMed PMID: 23317635.

Cagnie B, Dickx N, Peeters I, Tuytens J, Achten E, Cambier D, Danneels L. The use of functional MRI to evaluate cervical flexor activity during different cervical flexion exercises. *J Appl Physiol (1985).* 2008 Jan;104(1):230-5. PubMed PMID: 17991788.

Cagnie B, Barbe T, Vandemaele P, Achten E, Cambier D, Danneels L. MRI analysis of muscle/fat index of the superficial and deep neck muscles in an asymptomatic cohort. *Eur Spine J.* 2009 May;18(5):704-9. PubMed PMID: 19214596; PubMed Central PMCID: PMC3234006.

Cagnie B, D'Hooge R, Achten E, Cambier D, Danneels L. A magnetic resonance imaging investigation into the function of the deep cervical flexors during the performance of craniocervical flexion. *J Manipulative Physiol Ther.* 2010 May;33(4):286-91. PubMed PMID: 20534315.

Cagnie B, O'Leary S, Elliott J, Peeters I, Parlevliet T, Danneels L. Pain-induced changes in the activity of the cervical extensor muscles evaluated by muscle functional magnetic resonance imaging. *Clin J Pain*. 2011 Jun;27(5):392-7. PubMed PMID: 21415716.

Cagnie B, Dirks R, Schouten M, Parlevliet T, Cambier D, Danneels L. Functional reorganization of cervical flexor activity because of induced muscle pain evaluated by muscle functional magnetic resonance imaging. *Man Ther*. 2011 Oct;16(5):470-5. PubMed PMID: 21435935.

Childs JD, Fritz JM, Piva SR, Whitman JM. Proposal of a classification system for patients with neck pain. *J Orthop Sports Phys Ther*. 2004 Nov;34(11):686-96; discussion 697-700. PubMed PMID: 15609489.

Childs JD, Cleland JA, Elliott JM, Teyhen DS, Wainner RS, Whitman JM, Sopky BJ, Godges JJ, Flynn TW, American Physical Therapy Association. Neck pain: Clinical practice guidelines linked to the International Classification of Functioning, Disability, and Health from the Orthopedic Section of the American Physical Therapy Association. *J Orthop Sports Phys Ther*. 2008 Sep;38(9):A1-A34. PubMed PMID: 18758050.

Chiu TT, Law EY, Chiu TH. Performance of the craniocervical flexion test in subjects with and without chronic neck pain. *J Orthop Sports Phys Ther*. 2005 Sep;35(9):567-71. PubMed PMID: 16268243.

Cleland JA, Childs JD, McRae M, Palmer JA, Stowell T. Immediate effects of thoracic manipulation in patients with neck pain: a randomized clinical trial. *Man Ther*. 2005 May;10(2):127-35. PubMed PMID: 15922233.

Cleland JA, Whitman JM, Fritz JM, Palmer JA. Manual physical therapy, cervical traction, and strengthening exercises in patients with cervical radiculopathy: a case series. *J Orthop Sports Phys Ther*. 2005 Dec;35(12):802-11. PubMed PMID: 16848101.

Cleland JA, Childs JD, Fritz JM, Whitman JM, Eberhart SL. Development of a clinical prediction rule for guiding treatment of a subgroup of patients with neck pain: use of thoracic spine manipulation, exercise, and patient education. *Phys Ther*. 2007 Jan;87(1):9-23. PubMed PMID: 17142640.

Cleland JA, Glynn P, Whitman JM, Eberhart SL, MacDonald C, Childs JD. Short-term effects of thrust versus nonthrust mobilization/manipulation directed at the thoracic spine in patients with neck pain: a randomized clinical trial. *Phys Ther*. 2007 Apr;87(4):431-40. PubMed PMID: 17341509.

Cleland JA, Fritz JM, Whitman JM, Heath R. Predictors of short-term outcome in people with a clinical diagnosis of cervical radiculopathy. *Phys Ther*. 2007 Dec;87(12):1619-32. PubMed PMID: 17911271.

Cleland JA, Mintken PE, Carpenter K, Fritz JM, Glynn P, Whitman J, Childs JD. Examination of a clinical prediction rule to identify patients with neck pain likely to benefit from thoracic spine thrust manipulation and a general cervical range of motion exercise: multi-center randomized clinical trial. *Phys Ther*. 2010 Sep;90(9):1239-50. PubMed PMID: 20634268.

CLOWARD RB. Cervical diskography A contribution to the etiology and mechanism of neck, shoulder and arm pain. *Ann Surg.* 1959 Dec;150:1052-64. PubMed PMID: 13810738; PubMed Central PMCID: PMC1629000.

Cook C, Brown C, Isaacs R, Roman M, Davis S, Richardson W. Clustered clinical findings for diagnosis of cervical spine myelopathy. *J Man Manip Ther.* 2010 Dec;18(4):175-80. PubMed PMID: 22131790; PubMed Central PMCID: PMC3113267.

Cooper G, Bailey B, Bogduk N. Cervical zygapophysial joint pain maps. *Pain Med.* 2007 May-Jun;8(4):344-53. PubMed PMID: 17610457.

Coppieters MW, Stappaerts KH, Wouters LL, Janssens K. The immediate effects of a cervical lateral glide treatment technique in patients with neurogenic cervicobrachial pain. *J Orthop Sports Phys Ther.* 2003 Jul;33(7):369-78. PubMed PMID: 12918862.

Cross KM, Kuenze C, Grindstaff TL, Hertel J. Thoracic spine thrust manipulation improves pain, range of motion, and self-reported function in patients with mechanical neck pain: a systematic review. *J Orthop Sports Phys Ther.* 2011 Sep;41(9):633-42. PubMed PMID: 21885904.

Diab AA, Moustafa IM. The efficacy of forward head correction on nerve root function and pain in cervical spondylotic radiculopathy: a randomized trial. *Clin Rehabil.* 2012 Apr;26(4):351-61. PubMed PMID: 21937526.

Domenech MA, Sizer PS, Dedrick GS, McGalliard MK, Brismee JM. The deep neck flexor endurance test: normative data scores in healthy adults. *PM R.* 2011 Feb;3(2):105-10. PubMed PMID: 21333948.

Dunning JR, Cleland JA, Waldrop MA, Arnot CF, Young IA, Turner M, Sigurdsson G. Upper cervical and upper thoracic thrust manipulation versus nonthrust mobilization in patients with mechanical neck pain: a multicenter randomized clinical trial. *J Orthop Sports Phys Ther.* 2012 Jan;42(1):5-18. PubMed PMID: 21979312.

Dwyer A, Aprill C, Bogduk N. Cervical zygapophyseal joint pain patterns I: A study in normal volunteers. *Spine (Phila Pa 1976).* 1990 Jun;15(6):453-7. PubMed PMID: 2402682.

Edmondston SJ, Wallumrød ME, Macléid F, Kvamme LS, Joebges S, Brabham GC. Reliability of isometric muscle endurance tests in subjects with postural neck pain. *J Manipulative Physiol Ther.* 2008 Jun;31(5):348-54. PubMed PMID: 18558277.

Falla D, Jull G, Hodges PW. Feedforward activity of the cervical flexor muscles during voluntary arm movements is delayed in chronic neck pain. *Exp Brain Res.* 2004 Jul;157(1):43-8. PubMed PMID: 14762639.

Falla DL, Jull GA, Hodges PW. Patients with neck pain demonstrate reduced electromyographic activity of the deep cervical flexor muscles during performance of the craniocervical flexion test. *Spine (Phila Pa 1976).* 2004 Oct 1;29(19):2108-14. PubMed PMID: 15454700.

Fernández-de-las-Peñas C, Palomeque-del-Cerro L, Rodríguez-Blanco C, Gómez-Conesa A, Miangolarra-Page JC. Changes in neck pain and active range of motion after a single thoracic spine manipulation in subjects presenting with mechanical neck pain: a case series. *J Manipulative Physiol Ther.* 2007 May;30(4):312-20. PubMed PMID: 17509440.

Fernández-de-las-Peñas C, Albert-Sanchís JC, Buil M, Benitez JC, Albuquerque-Sendín F. Cross-sectional area of cervical multifidus muscle in females with chronic bilateral neck pain compared to controls. *J Orthop Sports Phys Ther.* 2008 Apr;38(4):175-80. PubMed PMID: 18459244.

Forbush SW, Cox T, Wilson E. Treatment of patients with degenerative cervical radiculopathy using a multimodal conservative approach in a geriatric population: a case series. *J Orthop Sports Phys Ther.* 2011 Oct;41(10):723-33. PubMed PMID: 21891879.

Fritz JM, Brennan GP. Preliminary examination of a proposed treatment-based classification system for patients receiving physical therapy interventions for neck pain. *Phys Ther.* 2007 May;87(5):513-24. PubMed PMID: 17374633.

Fritz JM, Thackeray A, Brennan GP, Childs JD. Exercise only, exercise with mechanical traction, or exercise with over-door traction for patients with cervical radiculopathy, with or without consideration of status on a previously described subgrouping rule: a randomized clinical trial. *J Orthop Sports Phys Ther.* 2014 Feb;44(2):45-57. PubMed PMID: 24405257.

Ghasemi M, Golabchi K, Mousavi SA, Asadi B, Rezvani M, Shaygannejad V, Salari M. The value of provocative tests in diagnosis of cervical radiculopathy. *J Res Med Sci.* 2013 Mar;18(Suppl 1):S35-8. PubMed PMID: 23961282; PubMed Central PMCID: PMC3743316.

González-Iglesias J, Fernández-de-las-Peñas C, Cleland JA, Gutiérrez-Vega Mdel R. Thoracic spine manipulation for the management of patients with neck pain: a randomized clinical trial. *J Orthop Sports Phys Ther.* 2009 Jan;39(1):20-7. PubMed PMID: 19209478.

Gross AR, Kay T, Hondras M, Goldsmith C, Haines T, Peloso P, Kennedy C, Hoving J. Manual therapy for mechanical neck disorders: a systematic review. *Man Ther.* 2002 Aug;7(3):131-49. PubMed PMID: 12372310.

Gross AR, Hoving JL, Haines TA, Goldsmith CH, Kay T, Aker P, Bronfort G, Cervical Overview Group. A Cochrane review of manipulation and mobilization for mechanical neck disorders. *Spine (Phila Pa 1976).* 2004 Jul 15;29(14):1541-8. PubMed PMID: 15247576.

Grubb SA, Kelly CK. Cervical discography: clinical implications from 12 years of experience. *Spine (Phila Pa 1976).* 2000 Jun 1;25(11):1382-9. PubMed PMID: 10828920.

Harris KD, Heer DM, Roy TC, Santos DM, Whitman JM, Wainner RS. Reliability of a measurement of neck flexor muscle endurance. *Phys Ther.* 2005 Dec;85(12):1349-55. PubMed PMID: 16305273.

Hoving JL, Koes BW, de Vet HC, van der Windt DA, Assendelft WJ, van Mameren H, Devillé WL, Pool JJ, Scholten RJ, Bouter LM. Manual therapy, physical therapy, or continued care by a general practitioner for patients with neck pain A randomized, controlled trial. *Ann Intern Med.* 2002 May 21;136(10):713-22. PubMed PMID: 12020139.

Hoving JL, de Vet HC, Koes BW, Mameren Hv, Devillé WL, van der Windt DA, Assendelft WJ, Pool JJ, Scholten RJ, Korthals-de Bos IB, Bouter LM. Manual therapy, physical therapy, or continued care by the general practitioner for patients with neck pain: long-term results from a pragmatic randomized clinical trial. *Clin J Pain.* 2006 May;22(4):370-7. PubMed PMID: 16691091.

Huisman PA, Speksnijder CM, de Wijer A. The effect of thoracic spine manipulation on pain and disability in patients with non-specific neck pain: a systematic review. *Disabil Rehabil.* 2013 Sep;35(20):1677-85. PubMed PMID: 23339721.

James G, Doe T. The craniocervical flexion test: intra-tester reliability in asymptomatic subjects. *Physiother Res Int.* 2010 Sep;15(3):144-9. PubMed PMID: 20146239.

Jull GA, O'Leary SP, Falla DL. Clinical assessment of the deep cervical flexor muscles: the craniocervical flexion test. *J Manipulative Physiol Ther.* 2008 Sep;31(7):525-33. PubMed PMID: 18804003.

Jull GA, Falla D, Vicenzino B, Hodges PW. The effect of therapeutic exercise on activation of the deep cervical flexor muscles in people with chronic neck pain. *Man Ther.* 2009 Dec;14(6):696-701. PubMed PMID: 19632880.

Karadimas SK, Erwin WM, Ely CG, Dettori JR, Fehlings MG. Pathophysiology and natural history of cervical spondylotic myelopathy. *Spine (Phila Pa 1976).* 2013 Oct 15;38(22 Suppl 1):S21-36. PubMed PMID: 23963004.

Kelly M, Cardy N, Melvin E, Reddin C, Ward C, Wilson F. The craniocervical flexion test: an investigation of performance in young asymptomatic subjects. *Man Ther.* 2013 Feb;18(1):83-6. PubMed PMID: 22626765.

Kim HJ, Tetreault LA, Massicotte EM, Arnold PM, Skelly AC, Brodt ED, Riew KD. Differential diagnosis for cervical spondylotic myelopathy: literature review. *Spine (Phila Pa 1976).* 2013 Oct 15;38(22 Suppl 1):S78-88. PubMed PMID: 23962997.

Korthals-de Bos IB, Hoving JL, van Tulder MW, Rutten-van Mólken MP, Adèr HJ, de Vet HC, Koes BW, Vondeling H, Bouter LM. Cost effectiveness of physiotherapy, manual therapy, and general practitioner care for neck pain: economic evaluation alongside a randomised controlled trial. *BMJ.* 2003 Apr 26;326(7395):911. PubMed PMID: 12714472; PubMed Central PMCID: PMC153837.

Krauss J, Creighton D, Ely JD, Podlowska-Ely J. The immediate effects of upper thoracic translatoric spinal manipulation on cervical pain and range of motion: a randomized clinical trial. *J Man Manip Ther.* 2008;16(2):93-9. PubMed PMID: 19119394; PubMed Central PMCID: PMC2565124.

Lau HM, Wing Chiu TT, Lam TH. The effectiveness of thoracic manipulation on patients with chronic mechanical neck pain - a randomized controlled trial. *Man Ther.* 2011 Apr;16(2):141-7. PubMed PMID: 20813577.

Lindstrøm R, Schomacher J, Farina D, Rechter L, Falla D. Association between neck muscle coactivation, pain, and strength in women with neck pain. *Man Ther.* 2011 Feb;16(1):80-6. PubMed PMID: 20696610.

Masarcchio M, Cleland JA, Hellman M, Hagins M. Short-term combined effects of thoracic spine thrust manipulation and cervical spine nonthrust manipulation in individuals with mechanical neck pain: a randomized clinical trial. *J Orthop Sports Phys Ther.* 2013 Mar;43(3):118-27. PubMed PMID: 23221367.

Miller J, Gross A, D'Sylva J, Burnie SJ, Goldsmith CH, Graham N, Haines T, Brønfort G, Hoving JL. Manual therapy and exercise for neck pain: a systematic review. *Man Ther.* 2010 Aug;15(4):334-54. PubMed PMID: 20593537.

Mintken PE, Cleland JA, Carpenter KJ, Bieniek ML, Keirns M, Whitman JM. Some factors predict successful short-term outcomes in individuals with shoulder pain receiving cervicothoracic manipulation: a single-arm trial. *Phys Ther.* 2010 Jan;90(1):26-42. PubMed PMID: 19959652.

Nee RJ, Jull GA, Vicenzino B, Coppieters MW. The validity of upper-limb neurodynamic tests for detecting peripheral neuropathic pain. *J Orthop Sports Phys Ther.* 2012 May;42(5):413-24. PubMed PMID: 22402638.

Nee RJ, Vicenzino B, Jull GA, Cleland JA, Coppieters MW. Baseline characteristics of patients with nerve-related neck and arm pain predict the likely response to neural tissue management. *J Orthop Sports Phys Ther.* 2013 Jun;43(6):379-91. PubMed PMID: 23633626.

Nyberg RE, Russell Smith A Jr. The science of spinal motion palpation: a review and update with implications for assessment and intervention. *J Man Manip Ther.* 2013 Aug;21(3):160-7. PubMed PMID: 24421627; PubMed Central PMCID: PMC3744849.

O'Leary S, Jull G, Kim M, Uthairkhum S, Vicenzino B. Training mode-dependent changes in motor performance in neck pain. *Arch Phys Med Rehabil.* 2012 Jul;93(7):1225-33. PubMed PMID: 22542489.

Olson LE, Millar AL, Dunker J, Hicks J, Glanz D. Reliability of a clinical test for deep cervical flexor endurance. *J Manipulative Physiol Ther.* 2006 Feb;29(2):134-8. PubMed PMID: 16461172.

Peolsson A, Söderlund A, Engquist M, Lind B, Löfgren H, Vavruch L, Holtz A, Winström-Christersson A, Isaksson I, Öberg B. Physical function outcome in cervical radiculopathy patients after physiotherapy alone compared with anterior surgery followed by physiotherapy: a prospective randomized study with a 2-year follow-up. *Spine (Phila Pa 1976).* 2013 Feb 15;38(4):300-7. PubMed PMID: 23407407.

Puentedura EJ, Landers MR, Cleland JA, Mintken PE, Huijbregts P, Fernández-de-Las-Peñas C. Thoracic spine thrust manipulation versus cervical spine thrust manipulation in patients with acute neck pain: a randomized clinical trial. *J Orthop Sports Phys Ther.* 2011 Apr;41(4):208-20. PubMed PMID: 21335931.

Puentedura EJ, Cleland JA, Landers MR, Mintken PE, Louw A, Fernández-de-Las-Peñas C. Development of a clinical prediction rule to identify patients with neck pain likely to benefit from thrust joint manipulation to the cervical spine. *J Orthop Sports Phys Ther.* 2012 Jul;42(7):577-92. PubMed PMID: 22585595.

Raney NH, Petersen EJ, Smith TA, Cowan JE, Rendeiro DG, Deyle GD, Childs JD. Development of a clinical prediction rule to identify patients with neck pain likely to benefit from cervical traction and exercise. *Eur Spine J.* 2009 Mar;18(3):382-91. PubMed PMID: 19142674; PubMed Central PMCID: PMC2899424.

Salem W, Lenders C, Mathieu J, Hermanus N, Klein P. In vivo three-dimensional kinematics of the cervical spine during maximal axial rotation. *Man Ther.* 2013 Aug;18(4):339-44. PubMed PMID: 23375147.

Sato T, Masui K. Morphologic differences in intervertebral foramina: a radiographic study of cervical spine positions in asymptomatic men. *J Manipulative Physiol Ther.* 2013 Jun;36(5):327-32. PubMed PMID: 23769602.

Savva C, Giakas G. The effect of cervical traction combined with neural mobilization on pain and disability in cervical radiculopathy A case report. *Man Ther.* 2013 Oct;18(5):443-6. PubMed PMID: 22818658.

Schneider GM, Jull G, Thomas K, Smith A, Emery C, Faris P, Schneider K, Salo P. Intrarater and interrater reliability of select clinical tests in patients referred for diagnostic facet joint blocks in the cervical spine. *Arch Phys Med Rehabil.* 2013 Aug;94(8):1628-34. PubMed PMID: 23485344.

Schomacher J, Falla D. Function and structure of the deep cervical extensor muscles in patients with neck pain. *Man Ther.* 2013 Oct;18(5):360-6. PubMed PMID: 23849933.

Skelly AC, Hashimoto RE, Norvell DC, Dettori JR, Fischer DJ, Wilson JR, Tetreault LA, Fehlings MG. Cervical spondylotic myelopathy: methodological approaches to evaluate the literature and establish best evidence. *Spine (Phila Pa 1976).* 2013 Oct 15;38(22 Suppl 1):S9-18. PubMed PMID: 24026148.

Smith J, Bolton PS. What are the clinical criteria justifying spinal manipulative therapy for neck pain?- a systematic review of randomized controlled trials. *Pain Med.* 2013 Apr;14(4):460-8. PubMed PMID: 23432939.

Takasaki H, Hall T, Jull G, Kaneko S, Iizawa T, Ikemoto Y. The influence of cervical traction, compression, and spurling test on cervical intervertebral foramen size. *Spine (Phila Pa 1976).* 2009 Jul 15;34(16):1658-62. PubMed PMID: 19770608.

Wainner RS, Fritz JM, Irrgang JJ, Boninger ML, Delitto A, Allison S. Reliability and diagnostic accuracy of the clinical examination and patient self-report measures for cervical radiculopathy. *Spine (Phila Pa 1976).* 2003 Jan 1;28(1):52-62. PubMed PMID: 12544957.

Young IA, Michener LA, Cleland JA, Aguilera AJ, Snyder AR. Manual therapy, exercise, and traction for patients with cervical radiculopathy: a randomized clinical trial. *Phys Ther.* 2009 Jul;89(7):632-42. PubMed PMID: 19465371.