

## Wrist & Hand

1. De-la-Llave-Rincon AI, Fernandez-de-las-Penas C, Palacios-Cena D, Cleland JA. Increased forward head posture and restricted cervical range of motion in patients with carpal tunnel syndrome. *J Orthop Sports Phys Ther.* 2009;39(9):658-664. doi: 10.2519/jospt.2009.3058 [doi].
2. De-la-Llave-Rincon AI, Fernandez-de-Las-Penas C, Laguarda-Val S, Ortega-Santiago R, Palacios-Cena D, Martinez-Perez A. Women with carpal tunnel syndrome show restricted cervical range of motion. *J Orthop Sports Phys Ther.* 2011;41(5):305-310. doi: 10.2519/jospt.2011.3536 [doi].
3. Duckworth AD, Jenkins PJ, McEachan JE. Diagnosing carpal tunnel syndrome. *J Hand Surg Am.* 2014;39(7):1403-1407. doi: 10.1016/j.jhsa.2014.03.039 [doi].
4. Fernandez-de-Las Penas C, Ortega-Santiago R, de la Llave-Rincon AI, et al. Manual physical therapy versus surgery for carpal tunnel syndrome: A randomized parallel-group trial. *J Pain.* 2015;16(11):1087-1094. doi: 10.1016/j.jpain.2015.07.012 [doi].
5. Halac G, Demir S, Yucel H, et al. Splinting is effective for night-only symptomatic carpal tunnel syndrome patients. *J Phys Ther Sci.* 2015;27(4):993-996. doi: 10.1589/jpts.27.993 [doi].
6. Heiser R, O'Brien VH, Schwartz DA. The use of joint mobilization to improve clinical outcomes in hand therapy: A systematic review of the literature. *J Hand Ther.* 2013;26(4):297-311; quiz 311. doi: 10.1016/j.jht.2013.07.004 [doi].
7. MacDermid JC, Wessel J. Clinical diagnosis of carpal tunnel syndrome: A systematic review. *J Hand Ther.* 2004;17(2):309-319. doi: 10.1197/j.jht.2004.02.015 [doi].

8. Rozmaryn LM, Dovel S, Rothman ER, Gorman K, Olvey KM, Bartko JJ. Nerve and tendon gliding exercises and the conservative management of carpal tunnel syndrome. *J Hand Ther.* 1998;11(3):171-179.
9. Tal-Akabi A, Rushton A. An investigation to compare the effectiveness of carpal bone mobilisation and neurodynamic mobilisation as methods of treatment for carpal tunnel syndrome. *Man Ther.* 2000;5(4):214-222. doi: 10.1054/math.2000.0355 [doi].
10. Villafane JH, Silva GB, Diaz-Parreno SA, Fernandez-Carnero J. Hypoalgesic and motor effects of kaltenborn mobilization on elderly patients with secondary thumb carpometacarpal osteoarthritis: A randomized controlled trial. *J Manipulative Physiol Ther.* 2011;34(8):547-556. doi: 10.1016/j.jmpt.2011.08.005 [doi].
11. Villafane JH, Silva GB, Fernandez-Carnero J. Short-term effects of neurodynamic mobilization in 15 patients with secondary thumb carpometacarpal osteoarthritis. *J Manipulative Physiol Ther.* 2011;34(7):449-456. doi: 10.1016/j.jmpt.2011.05.016 [doi].
12. Villafane JH, Silva GB, Bishop MD, Fernandez-Carnero J. Radial nerve mobilization decreases pain sensitivity and improves motor performance in patients with thumb carpometacarpal osteoarthritis: A randomized controlled trial. *Arch Phys Med Rehabil.* 2012;93(3):396-403. doi: 10.1016/j.apmr.2011.08.045 [doi].
13. Villafane JH, Cleland JA, Fernandez-de-Las-Penas C. The effectiveness of a manual therapy and exercise protocol in patients with thumb carpometacarpal osteoarthritis: A randomized controlled trial. *J Orthop Sports Phys Ther.* 2013;43(4):204-213. doi: 10.2519/jospt.2013.4524 [doi].

14. Wainner RS, Fritz JM, Irrgang JJ, Delitto A, Allison S, Boninger ML. Development of a clinical prediction rule for the diagnosis of carpal tunnel syndrome. *Arch Phys Med Rehabil.* 2005;86(4):609-618. doi: S0003-9993(04)01389-9 [pii].

Orthopedic Section, APTA. Current Concepts of Orthopedic Physical Therapy. Wrist and Hand.